



FIT FOR JOB

A SELECTION FROM OUR ESD-RANGE



ABEBA®



CONTENT

ESD-Occupational and ESD-Safety shoes

8 **HIGH ORIGINAL** - ESD-Occupational shoes

8 **EASY** - ESD-Occupational shoes

9 **DYNAMIC** - ESD-Occupational shoes

10 **RUBBER** - ESD-Occupational shoes

11 **ARROW** - ESD-Occupational shoes

12 **NATURE** - ESD-Occupational shoes

14 **AIR CUSHION** - ESD-Occupational shoes

15 **LIGHT** - ESD-Occupational shoes

16 **UNI6** - ESD-Occupational shoes

16 **REFLEXOR** - ESD-Occupational shoes

17 **REFLEXOR COMFORT** -
ESD-Occupational shoes

18 **MANAGER** - ESD-Occupational shoes

a selection from our
ESD range

18 **BUSINESS LADY** - ESD-Occupational shoes

18 **BUSINESS MEN** - ESD-Occupational shoes

18 **SERVICE** - ESD-Occupational shoes



20 **CLASSIC** - ESD-Safety shoes

20 **LIGHT** - ESD-Safety shoes

23 **UNI6** - ESD-Safety shoes

25 **ANATOM** - ESD-Safety shoes

26 **CRAWLER** - ESD-Safety shoes

27 **STATIC CONTROL** - ESD-Safety shoes

27 **BUSINESS MEN** - ESD-Safety shoes

ORTHOPEDIC INSOLES

DGUV 112-191 (BGR 191)

ORTHOSTAT

With all orthopedic adaptation it has to be tested if the safety or occupational shoe still meets the requirements of the EN ISO 20345 or EN ISO 20347 standards. Together with the orthopedic specialist Doppler (www.doppler-online.com) we have developed the individually adaptable orthopedic insole ORTHOstat. By using this insole your shoes will remain certified according to EN ISO standard.

ORTHOstat®

**DGUV
112-191**



- 1 Light and stays in shape
- 2 Anatomically shaped heel area
- 3 Longitudinal and transversal arch support
- 4 ESD in combination with Abeba footwear

- 5 Skin-friendly
- 6 Bedding of the metatarsal head area
- 7 Anatomically shaped pad

Now also certified for orthopedic insoles „Secosol“

 **Secosol®**
by hartmann

ICONS



ESD



STEEL TOE-CAP



SUITABLE FOR HEEL AND FOOT LIFT



WASHABLE AT 30° C



REPLACEABLE INSOLE



BREATHABLE INSOLE



PENETRATION RESISTANCE



01 IDENTIFICATION ACCORDING TO STANDARD



DGUV
112-191 CERTIFIED FOR ORTHOPEDIC INSOLES

Our ESD styles are certified according to EN 61340-4-3 climate class 1 and EN 61340-5-1.



i

ESD ELECTROSTATIC DISCHARGE

Electrostatic Discharge (ESD) means the compensation of big differences in potential that causes high voltage pulses. This voltage pulse can cause damages or even destroy electronic components.

Potential differences often result from friction or contact and separation of items. By this a human can be charged up to 30.000 Volts. The electrostatic discharge can only be felt by a person from 2.000 Volt on as a small electric shock. However electrostatic sensitive devices can be harmed by a blocking voltage of 5 – 30 V. Therefore while working with electrostatic sensitive devices actions have to be taken to reduce electrical charges reliable and prevent the occurrence of quick discharge.

Actions against static discharge are described in the EN 61340-5-1 standard. An effective grounding of persons by using ESD footwear serves to protect sensitive devices by frequently discharging the human body.

ESD shoes are made to discharge the electrostatic charge through the ground to the earth potential. The resistance of the system Person-Shoe-Ground shall be below 35 MΩ according to EN 61340-5-1 (verification). The qualification of the ESD footwear according to EN 61340-4-3 is measured in relation to the climate class 1 (12% RH), 2 (25% RH) and 3 (50% RH).

According to EN 61340-4-3 the shoe is preconditioned adequately and measured filled with a defined quantity of metal balls on a metal plate. Here the resistance shall be below 100 MΩ.

In practice the discharge capacity of ESD footwear is not only highly depending on the climatic environment (humidity and temperature) but also on factors like contamination and condition of the flooring as well as the electrical resistance of the person's body. ESD representatives of a company have to check frequently if the implemented ESD products still work in a proper way. Where ESD footwear is worn the resistance of the flooring should not influence the functionality of the ESD shoes. The implementation of "walking tests" helps to validate the functionality of the system Person-Shoe-Flooring.

WARNING: : ESD shoes are not suitable for electricians or while working on sources with any electric voltage.





i

DEFINITION

ESD - Electrostatic Discharge

Electrostatic discharge is caused by an imbalance of potential on charged objects or people by contact or close proximity.

ESDS

Electrostatic Discharge Sensitive Device

EPA

Electrostatic Protected Area

Area where sensitive devices can be handled directly with minimum risk of electrostatic damage.

Electrostatic charge

Is produced by frictional contact and separation of two materials.

Resistance to ground (Rg) EN 61340

Is the resistance from a surface or an item within an EPA, measured with a suitable ohmmeter and test probe.

Latent damage

Is the damage caused by ESD to sensitive devices, which has the effect of reducing components reliability without causing immediate failure.



ESD SUSCEPTIBLE

The symbol has been used since 1984 and denotes components and subassemblies that are ESD susceptible.




ESD PROTECTIVE

The symbol was introduced in addition to symbol No. 1 in 1993 and denotes ESD protective products such as antistatic mats, trucks, clothing, protective covering, cartons, materials, etc.

INFORMATION

Electrical resistance and protection against electrostatic phenomena. ESD-footwear as primary grounding in the system of person/ shoe/ floor



A and C: additional requirements of occupational- and safety shoes regarding electric property. R: electrical resistance. R_g : ground resistance.

For the daily function testing of the shoes the use of test stations has been established. There the resistance of person and shoe is measured. Attention should be paid to the separate measuring of the feet.

Resistance Terminology

$10^3 \text{ Ohm} =$	$0,001 \text{ MOhm} =$	1 kOhm
$10^4 \text{ Ohm} =$	$0,01 \text{ MOhm} =$	10 kOhm
$10^5 \text{ Ohm} =$	$0,1 \text{ MOhm} =$	100 kOhm
$10^6 \text{ Ohm} =$	$1 \text{ MOhm} =$	1.000 kOhm
$10^7 \text{ Ohm} =$	$10 \text{ MOhm} =$	
$10^8 \text{ Ohm} =$	$100 \text{ MOhm} =$	
$10^9 \text{ Ohm} =$	$1.000 \text{ MOhm} =$	1 GOhm
$10^{10} \text{ Ohm} =$	$10.000 \text{ MOhm} =$	10 GOhm
$10^{11} \text{ Ohm} =$	$100.000 \text{ MOhm} =$	100 GOhm
$10^{12} \text{ Ohm} =$	$1.000.000 \text{ MOhm} =$	1.000 GOhm




SOFT COMFORT INSOLE

for „Dynamic“, „easy“, „uni6“, „anatom“ and „Crawler“ occupational
and safety shoes



! _ WIDTH ADJUSTMENT IN S / M / W



SOFT COMFORT S (SMALL)

Art. 350113 - „uni6“ occupational shoes

Art. 350123 - „uni6“ safety shoes

Art. 350223 - „anatom“ safety shoes (low shoe)

Art. 350433 - „Crawler aluminium“ safety shoes (low shoe)

#_Reduces the volume inside the shoe

#_Best wearing comfort for slim feet

#_Pleasantly tender surface

#_Anatomic midfoot pad

#_All-over cushioning and breathable

#_ESD dissipative



SOFT COMFORT M (MEDIUM)

Art. 351012 - „Dynamic“ occupational shoes

Art. 350912 - „easy“ occupational shoes

Art. 350112 - „uni6“ occupational shoes

Art. 350122 - „uni6“ safety shoes

Art. 350222 - „anatom“ safety shoes (low shoe)

Art. 350432 - „Crawler aluminium“ safety shoes (low shoe)

Art. 350532 - „Crawler aluminium“ safety shoes (clog)

#_Standard volume inside the shoe

#_Pleasantly tender surface

#_Anatomic midfoot pad

#_All-over cushioning and breathable

#_ESD dissipative



SOFT COMFORT W (WIDE)

Art. 350116 - „uni6“ occupational shoes

Art. 350126 - „uni6“ safety shoes

Art. 350226 - „anatom“ safety shoes (low shoe)

Art. 350436 - „Crawler aluminium“ safety shoes (low shoe)

#_Increases the volume inside the shoe

#_Pleasantly tender surface

#_Anatomic midfoot pad

#_All-over cushioning and breathable

#_ESD dissipative





high ORIGINAL

HIGH ORIGINAL / EASY



OB



5001

OB



5009

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 36-42 | smooth leather white, perforated | heel patch leather | heel strap foldable, adjustable | PU-outsole | wedge heel 45 mm | narrow fit | non-slip PU walking sole

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 36-42 | smooth leather black, perforated | heel patch leather | heel strap foldable, adjustable | PU-outsole | wedge heel 45 mm | narrow fit | non-slip PU walking sole

easy



Soft Comfort insole
Art. 350912 optional
for all „easy“ styles



OB



37630

OB



37631

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | smooth leather white, perforated | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3573) | non-slip TPU walking sole

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | smooth leather black, perforated | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3573) | non-slip TPU walking sole





micro

37341

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber black/ blue with **black breathable textile inlays** | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU walking sole

**37310**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU walking sole



NEW
Soft Comfort insole
Art. 351012 optional
for all „Dynamic“ styles



micro

37320

CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
Size 35-43 | microfiber white with pattern | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU walking sole

**37325**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
Size 35-48 | knitted textile white, water-repellent | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU walking sole





rubber

**OB****5200**

CE, EN ISO 20347:2012 OB, A, FO, WRU, SRC
Size 36-47 | smooth leather white | insole or heel patch leather | heel strap foldable, adjustable | non-slip special rubber walking sole

**OB****5250**

CE, EN ISO 20347:2012 OB, A, FO, WRU, SRC
Size 36-47 | smooth leather navy blue | insole or heel patch leather | heel strap foldable, adjustable | non-slip special rubber walking sole

**OB****5300**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather white, perforated | insole or heel patch leather | heel strap foldable, adjustable | non-slip special rubber walking sole

**OB****5310**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather black, perforated | insole or heel patch leather | heel strap foldable, adjustable | non-slip special rubber walking sole



Size 36-47

38320

Size 48-51

38322

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber white, perforated | heel patch microfiber | heel strap foldable, adjustable | lightweight Mono-PU-sole



micro



Size 36-47

38200

Size 48-51

38202

CE, EN ISO 20347:2012 OB, A, FO, SRA
smooth leather white | heel patch microfiber | lining microfiber, breathable, moisture absorbing | heel strap foldable, adjustable | non-slip PU/PU walking sole



Size 36-47

38330

Size 48-51

38332

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber black, perforated | heel patch microfiber | heel strap foldable, adjustable | lightweight Mono-PU-sole



micro



Size 36-47

38210

Size 48-51

38212

CE, EN ISO 20347:2012 OB, A, FO, SRA
smooth leather black | heel patch microfiber | lining microfiber, breathable, moisture absorbing | heel strap foldable, adjustable | non-slip PU/PU walking sole



Size 36-47

35600

Size 48-51

35602

CE, EN ISO 20347:2012 OB, A, FO, SRA
smooth leather white, perforated | heel patch microfiber | lining microfiber, breathable, moisture absorbing | heel strap foldable, adjustable | non-slip PU/PU walking sole



Size 36-47

38600

Size 48-51

38602

CE, EN ISO 20347:2012 OB, A, FO, SRA
smooth leather white, perforated | heel patch microfiber | lining microfiber, breathable, moisture absorbing | heel strap non-foldable, adjustable | padded instep with elastic band | non-slip PU/PU walking sole



NATURE

**OB****4080**

CE, EN ISO 20347:2012 OB, A, FO, SRC

Size 34-48 | smooth leather white | 2 instep straps, adjustable |
velcro fastening | non-slip special rubber walking sole**OB****4085**

CE, EN ISO 20347:2012 OB, A, FO, SRC

Size 34-48 | smooth leather black | 2 instep straps, adjustable |
velcro fastening | non-slip special rubber walking sole**OB****4086**

CE, EN ISO 20347:2012 OB, A, FO, SRC

Size 34-48 | velour leather ocean | 2 instep straps, adjustable |
buckle fastening | non-slip special rubber walking sole

NATURE

NATURE



4090

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather white | heel strap non-foldable, adjustable | 2 instep straps, adjustable | velcro fastening | non-slip special rubber walking sole



4055

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather black | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | non-slip special rubber walking sole



4045

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather dark blue, perforated | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | non-slip special rubber walking sole



4050

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather white, perforated | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | non-slip special rubber walking sole





air cushion



01



32300

CE, EN ISO 20347:2012 O1, SRA

Size 35-47 | grained leather white, perforated | lining microfiber, breathable, moisture absorbing | replaceable insole (art. 3551) | non-slip PU walking sole



01



32310

CE, EN ISO 20347:2012 O1, SRA

Size 39-47 | grained leather black, perforated | lining microfiber, breathable, moisture absorbing | replaceable insole (art. 3551) | non-slip PU walking sole



02



32610

CE, EN ISO 20347:2012 O2, SRA

Size 35-47 | grained leather black | lining microfiber, breathable, moisture absorbing | replaceable insole (art. 3551) | non-slip PU walking sole



LIGHT

light



31142

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
Size 35-48 | smooth leather black | lining with Silver Point | heel strap foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3558) | non-slip PU walking sole



31131

CE, EN ISO 20347:2012 O1, FO, SRA
Size 35-48 | smooth leather white with grey **breathable textile inlays** | lining with silver ions | double velcro fastening | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole



31138

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole



31132

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole



31136

CE, EN ISO 20347:2012 O1, FO, SRA
Size 35-48 | smooth leather black with grey **breathable textile inlays** | lining with silver ions | double velcro fastening | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole





uni6



WIDTH ADJUSTMENT

Soft Comfort insole

Art. 350113/ 350116
optional for all „uni6“ styles

UNI6

NEW



01



36721

36761

CE, EN ISO 20347:2012 O1, FO, SRC

Size 35-48 | velours black with **breathable textile inlays** | lining with Silver Point | reflective stripes | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole

NEW



02



CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with Silver Point | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole



02



micro

36766

36724

CE, EN ISO 20347:2012 O2, FO, SRC*

Size 35-43 | microfiber white with coloured lacing | lining with Silver Point | replaceable Soft Comfort insole (art. 350112) | **with white exchange laces** | non-slip TPU walking sole

NEW



01



CE, EN ISO 20347:2012 O1, FO, SRC*

Size 35-43 | textile Paisley, water-repellent | lining with Silver Point | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole



02



36728

36772

CE, EN ISO 20347:2012 O2, FO, SRC*

Size 35-48 | textile black with pattern, water-repellent | lining with Silver Point | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole




02



CE, EN ISO 20347:2012 O2, FO, SRC*

Size 35-48 | knitted textile white, water-repellent | lining with Silver Point | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole



**36912**

CE, EN ISO 20347:2012 OB, A, E, SRB

Size 36-42 | smooth leather black | lining microfiber, breathable, moisture absorbing | triple velcro fastening | 2 replaceable Reflexor® insoles (art. 3565/ 3568) | non-slip PU walking sole

DGUV
112-191**36902**

CE, EN ISO 20347:2012 OB, A, E, SRB

Size 36-42 | smooth leather white | lining microfiber, breathable, moisture absorbing | triple velcro fastening | 2 replaceable Reflexor® insoles (art. 3565/ 3567) | non-slip PU walking sole

DGUV
112-191**36902**

CE, EN ISO 20347:2012 OB, A, E, SRB

Size 36-42 | smooth leather white | lining microfiber, breathable, moisture absorbing | triple velcro fastening | 2 replaceable Reflexor® insoles (art. 3565/ 3567) | non-slip PU walking sole

DGUV
112-191**35710**

CE, EN ISO 20347:2012 O1, SRB

Size 40-46 | smooth leather black | lining microfiber, breathable, moisture absorbing | 2 replaceable Reflexor® insoles (art. 3566/ 3570) | non-slip PU walking sole

DGUV
112-191**36872**

CE, EN ISO 20347:2012 OB, A, E, SRB

Size 36-43 | velours black | lining microfiber, breathable, moisture absorbing | heel strap non-foldable, adjustable | instep area with elastic band | replaceable Reflexor® insole (art. 3572) | non-slip PU walking sole

**36813**

CE, EN ISO 20347:2012 OB, A, E, SRB

Size 36-43 | smooth leather black | lining microfiber, breathable, moisture absorbing | heel strap foldable, adjustable | instep area with elastic band | replaceable Reflexor® insole (art. 3572) | non-slip PU walking sole





MANAGER

MANAGER / BUSINESS LADY / BUSINESS MEN / SERVICE



3120

CE

Size 39-47 | calf leather black | lining microfiber, moisture absorbing | top layer microfiber | leather walking sole

BUSINESS LADY



3940

Size 36-42 | smooth leather black | lining microfiber, moisture absorbing | heel 60 mm | TPU walking sole

BUSINESS MEN



01



32450

CE, EN ISO 20347:2012 O1, SRB

Size 40-47 | smooth leather black | lining microfiber, moisture absorbing | insole microfiber | TPU walking sole

SERVICE



01



300219

CE, EN ISO 20347:2012 O1, FO, SRC*

Size 35-43 | microfiber black in leather optic | lining microfiber, breathable, moisture absorbing | instep area with lacing | non-slip PU/rubber walking sole



01



300119

CE, EN ISO 20347:2012 O1, FO, SRC*

Size 35-43 | microfiber black in leather optic | lining microfiber, breathable, moisture absorbing | instep area with elastic band | non-slip PU/rubber walking sole



SAFETY SHOES





Classic

CLASSIC / LIGHT



31000

CE, EN ISO 20345:2011 SB, A, E, FO, WRU, SRC
Size 36-46 | grained leather white | lining microfiber, breathable, moisture absorbing | heel patch microfiber | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | non-slip PU walking sole



31010

CE, EN ISO 20345:2011 SB, A, E, FO, WRU, SRC
Size 36-46 | grained leather black | lining microfiber, breathable, moisture absorbing | heel patch microfiber | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | non-slip PU walking sole



light



31041

CE, EN ISO 20345:2011 SB, A, E, FO, SRA
Size 35-48 | smooth leather white | lining with Silver Point | heel strap foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3556) | non-slip PU walking sole



31035

CE, EN ISO 20345:2011 SB, A, E, FO, SRA
Size 35-48 | smooth leather black | lining with Silver Point | heel strap non-foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3556) | non-slip PU walking sole



31042


CE, EN ISO 20345:2011 SB, A, E, FO, SRA
Size 35-48 | smooth leather black | lining with Silver Point | heel strap foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3556) | non-slip PU walking sole



31030

CE, EN ISO 20345:2011 SB, A, E, FO, SRA
Size 35-48 | smooth leather white | lining with Silver Point | heel strap non-foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3556) | non-slip PU walking sole





light



S1



31031

CE, EN ISO 20345:2011 S1, SRA

Size 35-48 | smooth leather white with grey **breathable textile inlays** | lining with silver ions | double velcro fastening | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole



S1



31036

CE, EN ISO 20345:2011 S1, SRA

Size 35-48 | smooth leather black with grey **breathable textile inlays** | lining with silver ions | double velcro fastening | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole



S1



31056

CE, EN ISO 20345:2011 S1, SRA

Size 35-48 | smooth leather black with **breathable textile inlays** | lining with Silver Point | reflective stripes | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole



**light**

LIGHT

**S2****31032**

CE, EN ISO 20345:2011 S2, SRA

Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole

**S2****31037**

CE, EN ISO 20345:2011 S2, SRA

Size 35-48 | smooth leather black | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole

**S2****31038**

CE, EN ISO 20345:2011 S2, SRA

Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole

**S2****31033**

CE, EN ISO 20345:2011 S2, SRA

Size 35-48 | smooth leather white | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole




**S2****31766**

CE, EN ISO 20345:2011 S2, SRC*

Size 35-43 | microfiber white with coloured lacing | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | **with white exchange laces** | non-slip TPU walking sole
**S1****31724**

CE, EN ISO 20345:2011 S1, FO, SRC*

Size 35-43 | textile Paisley, water-repellent | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole


**S3****31628**

CE, EN ISO 20345:2011 S3, SRC*

Size 35-48 | textile black with pattern, water-repellent | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | metal free penetration resistance | non-slip TPU walking sole


**S2****31772**

CE, EN ISO 20345:2011 S2, SRC*

Size 35-48 | knitted textile white, water-repellent | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



WIDTH ADJUSTMENT
Soft Comfort insole
Art. 350123/ 350126
optional for all „uni6“ styles



uni6



S1



31721

CE, EN ISO 20345:2011 S1, SRC

Size 35-48 | velours black with **breathable textile inlays** | lining with Silver Point | reflective stripes | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole

S2



micro

31740

CE, EN ISO 20345:2011 S2, SRC

Size 35-48 | microfiber white | lining with Silver Point | instep area with elastic band | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



S2



micro

31780

CE, EN ISO 20345:2011 S2, SRC

Size 35-48 | microfiber white | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



S2



31761

CE, EN ISO 20345:2011 S2, SRC

Size 35-48 | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



S3



31765

CE, EN ISO 20345:2011 S3, SRC

Size 35-48 | functional leather red with honeycomb pattern | water-repellent | scratch-resistant | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | metal free penetration resistance | non-slip TPU walking sole



S1



31762

CE, EN ISO 20345:2011 S1, SRC

Size 35-48 | functional leather blue with honeycomb pattern | water-repellent | scratch-resistant | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



WIDTH ADJUSTMENT
NEW Soft Comfort insole
 Art. 350223/ 350222/ 350226
 optional for „anatom“ styles

anatom



micro

32120

CE, EN ISO 20345:2011 SB, A, E, WRU, SRC

Size 36-**52** | microfiber white | lining with silver fibres | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3582) | non-slip PU walking sole



micro

32125

CE, EN ISO 20345:2011 SB, A, E, WRU, SRC


Size 36-**52** | microfiber black | lining with silver fibres | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3582) | non-slip PU walking sole



32189

CE, EN ISO 20345:2011 S1, SRC

Size 36-**52** | velours black with **breathable textile inlays** | lining with Silver Point | instep strap adjustable | reflective stripes | replaceable acc Wave insole (art. 3580) | non-slip PU walking sole



micro

2616

CE, EN ISO 20345:2011 S1, SRC

Size 36-**50** | microfiber white, **perforated** | lining with silver fibres | double velcro fastening | reflective stripes | replaceable acc Wave insole (art. 3580) | non-slip PU walking sole



micro

2626

CE, EN ISO 20345:2011 S1, SRC

Size 36-**52** | microfiber white **with breathable textile inlays** | lining with silver fibres | reflective stripes | replaceable acc Wave insole (art. 3580) | non-slip PU walking sole



micro

32130

CE, EN ISO 20345:2011 S2, SRC

Size 36-**52** | microfiber white | lining with silver fibres | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3580) | non-slip PU walking sole



**CRAWLER**

CRAWLER

**SB**

micro

34555**SB**

micro

34556

CE, EN ISO 20345:2011 SB, A, E, FO, SRC

Size 36-48 | microfiber white | scratch-resistant coating in toe area | breathable lining with Silver Point | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3579) | **aluminium toe-cap** | non-slip TPU walking sole**S1****34581**

CE, EN ISO 20345:2011 S1, SRC

Size 36-48 | velours black/ blue | lining with Silver Point | replaceable acc Wave insole (art. 3577) | **aluminium toe-cap** | non-slip TPU walking sole**S1****34571**

CE, EN ISO 20345:2011 S1, SRC

Size 36-48 | velours black/ blue with **breathable textile inlays** | scratch-resistant coating in heel and toe area | lining with Silver Point | reflective stripes | replaceable acc Wave insole (art. 3577) | **aluminium toe-cap** | non-slip TPU walking sole

WIDTH ADJUSTMENT
Soft Comfort insole
Art. 350433 / 350432 / 350532 / 350436
optional for „Crawler aluminium“ styles

NEW

**S1****1275**

CE, EN ISO 20345:2011 S1, SRA

Size 36-47 | leather black with scratch-resistant carbon coating and **breathable textile inlays** | lining with Silver Point | double velcro fastening | reflective stripes | replaceable acc Wave insole (art. 3553) | **composite toe cap** | non-slip special rubber walking sole

**S2**

micro

31392

CE, EN ISO 20345:2011 S2, SRA

Size 36-47 | microfiber white | lining with silver fibres | instep area with elastic band | replaceable acc Wave insole (art. 3553) | **composite toe cap** | non-slip special rubber walking sole

**S2****33240**

CE, EN ISO 20345:2011 S2, SRA


Size 36-48 | smooth leather black | lining microfiber, breathable, moisture absorbing | non-slip special rubber walking sole

**S2****33230**

CE, EN ISO 20345:2011 S2, SRA

Size 36-48 | smooth leather black | lining microfiber, breathable, moisture absorbing | non-slip special rubber walking sole

**BUSINESS
MEN**



ABEBA®

WWW.ABEBA.COM

Your ABEBA distributor: